

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	924	nojiri-hiromi.IN. or hori-isao.IN. or yamasaki-tatsuya.IN. or okada-koichi.IN. or nagano-yoshitaka.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/01 07:09
S2	87	S1 and ((inner and outer) adj (member or element or race or ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:09
S3	18	S2 and (strength or hard\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:11
S4	1	(US-20040182670-\$).did.	US-PGPUB	OR	ON	2005/03/31 09:07
S5	1	S4 and (high-frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:08
S6	1	S4 and (induction-hardened)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:09
S7	1	S4 and carburizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:09
S8	11047	ntn.AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:10
S9	1717	S8 and ((inner and outer) adj (member or element or race or ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 15:16
S10	382	S9 and (strength or hard\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:11

S11	61	S10 and (insert or sleeve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:17
S12	9	S10 and ((insert or sleeve) with (strength or hard\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:33
S13	10789	clutch and ((inner and outer) adj (member or element or race or ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 09:32
S14	207	S13 and ((insert or sleeve) with (strength or hard\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:10
S15	936	((heat-treated adj bearing) or carburiz\$3 or (high-frequency) or (induction-harden\$3)) adj steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:17
S16	92	S15 and ((inner and outer) adj (member or element or race or ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:09
S17	4	S16 and ((insert or sleeve) with (strength or hard\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 11:24
S18	1	S15 and 192/107T.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:17
S19	1	S15 and 192/107M.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:16
S20	0	S15 and 192/107R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:17

S21	32547	((heat-treated adj bearing) or carburiz\$3 or hard\$5 or (high-frequency) or (induction-harden\$3)) adj steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:17
S22	4	S21 and 192/107T.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 11:15
S24	38	192/107T.ccls. and (ball or roller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 10:28
S25	17	S21 and 192/107M.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 11:23
S26	6575	S21 and cast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 11:23
S27	3365	S21 and ((insert or sleeve) with (strength or hard\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:42
S28	842	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 11:24
S29	120	S28 and (clutch or brake)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:17
S30	1813	192/45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:22
S31	356	S30 and (insert or sleeve or (wear adj surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:23

S32	9	S30 and ((insert or sleeve or (wear adj surface)) with harden\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:23
S33	287	192/38.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:05
S34	90	S33 and (insert or sleeve or (wear adj surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:23
S35	3	S33 and ((insert or sleeve or (wear adj surface)) with harden\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:23
S36	3478	S21 and ((insert or sleeve or (wear adj surface)) with (strength or hard\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:43
S37	885	S36 and cast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:43
S38	505	S37 and cylindrical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:44
S39	170	S38 and (clutch or brake or coupling or (torque adj transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 12:45
S40	38	("3163988" "3189144" "3263522" "3316622" "3343367" "3518026" "3732957" "4117677" "4441315" "4643283" "4714803" "4718527" "4757887" "4782931" "4817772" "4825990" "4953353").PN. OR ("5125487").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:54

S41	185	60/345.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:05
S42	5	S41 and cast\$3 and hard\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:56
S43	579	(induction adj hardening) and (high adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:57
S44	249	S43 and steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:57
S45	3	clutch and ((inner and outer) adj (member or element or race or ring)) and (outer adj (reinforc\$5 or strength\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 15:28
S46	0	(viscous adj clutch) and aluminum and ring and lorence.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 15:29
S47	0	(viscous adj2 clutch) and aluminum and ring and lorence.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 15:29
S48	0	(viscous adj2 clutch) and lorence. xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 15:30
S49	15	192/58\$4.ccls. and lorence.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 15:30
S50	5	S49 and aluminum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/31 15:30

S51	2	"4809833".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/01 07:09
S52	18	("2324676" "2936199" "4213660" "4218273" "4238016" "4283096" "4421216" "4473309" "4662495" "4685549").PN. OR ("4809833").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 08:52
S53	23	(aluminum NEAR5 (housing or casing)) same (external\$2 NEAR5 (sleeve or collar))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 08:56
S54	4	(aluminum NEAR5 (housing or casing)) same (external\$2 NEAR5 reinforc\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 08:57
S55	30	(external with (reinforcing adj ring)) same (housing or casing or drum)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:03
S56	10	(clutch adj (drum or casing or housing)) and (reinforcing adj ring)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:06
S57	0	(clutch adj drum) and (strengthening adj (ring or collar))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:07
S58	2205	(clutch adj drum) and (ring or collar)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:08
S59	140	S58 and reinforc\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:09
S60	2	192/45.ccls. and ((reinforcing or strengthening) adj ring)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:11
S61	45	"192"/\$7.ccls. and ((reinforcing or strengthening) adj ring)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:17
S62	91	"188"/\$7.ccls. and ((reinforcing or strengthening) adj ring)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:25
S63	75	"384"/\$7.ccls. and ((reinforcing or strengthening) adj ring)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:47
S64	1	"5485905".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:47

S65	31	("2049880" "3865220" "3937312" "4046238" "4461375" "4603555" "4650049" "4660698" "4901832" "4915201" "4916974" "5099972" "5125489" "5129711" "5183139" "5188205" "5390773").PN. OR ("5485905"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:51
S66	0	S64 and cast\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:51